



Form 37 - Thoughts and Feelings

Data File: f37_ct_pub File Date: 07/19/2007 Structure: Multiple rows per participant Population: CT participants

Participant ID

Variable # 1

Sas Name: ID

Sas Label: Participant ID

Usage Notes: none

Categories: Study: Administration

F37 Days since randomization/enrollment

Variable # 2

Sas Name: F37DAYS

Sas Label: F37 Days since randomization/enrollment

Usage Notes: none

Categories: Study: Administration

	N	Min	Max	Mean	Std Dev
	124316	-808	4178	1357.5518	1566.43725

F37 Visit type

Variable # 3

Sas Name: F37VTYP

Sas Label: Visit type

Usage Notes: none

Categories: Study: Administration

Values		N	%
1	Screening Visit	68,123	54.8%
2	Semi-Annual Visit	28,874	23.2%
3	Annual Visit	27,316	22.0%
4	Non Routine Visit	3	0.0%
		124,316	

F37 Visit year

Visit year for which this form was collected.

Variable # 4

Sas Name: F37VY

Sas Label: Visit year

Usage Notes: none

Categories: Study: Administration

	N	Min	Max	Mean	Std Dev
	124313	0	12	3.89814	4.36345

F37 Closest to visit within visit type and year

For forms entered with the same visit type and year, indicates the one closest to that visit's target date. Valid for forms entered with an annual or semi-annual visit type.

Variable # 5

Sas Name: F37VCLO

Sas Label: Closest to visit within visit type and year

Usage Notes: See data preparation document.

Categories: Study: Administration

Values		N	%
0	No	3	0.0%
1	Yes	124,313	100.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Expected for visit

This form/data was expected for this visit. Form 37 (Thoughts and Feelings) was expected at Baseline and Close-out for CT, and at Baseline for OS.

Variable # 6
Sas Name: F37EXPC
Sas Label: Expected for visit

Usage Notes: none
Categories: Study: Administration

Values		N	%
0	No	36	0.0%
1	Yes	124,280	100.0%
		124,316	

F37 To listen to you

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone you can count on to listen to you when you need to talk.

Variable # 7
Sas Name: LISTEN
Sas Label: Someone to listen when need to talk

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	1,693	1.4%
2	A little of the time	6,450	5.2%
3	Some of the time	15,996	12.9%
4	Most of the time	46,331	37.3%
5	All of the time	53,031	42.7%
.	Missing	815	0.7%
		124,316	

F37 Someone to give you good advice

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to give you good advice about a problem

Variable # 8
Sas Name: GOODADVC
Sas Label: Someone to give good advice

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	3,395	2.7%
2	A little of the time	8,811	7.1%
3	Some of the time	22,011	17.7%
4	Most of the time	48,152	38.7%
5	All of the time	40,898	32.9%
.	Missing	1,049	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Someone to take you to the doctor

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to take you to the doctor if you need it

Variable # 9
Sas Name: TAKEDR
Sas Label: Someone can take to the doctor

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	4,397	3.5%
2	A little of the time	5,747	4.6%
3	Some of the time	9,081	7.3%
4	Most of the time	27,408	22.0%
5	All of the time	75,647	60.9%
.	Missing	2,036	1.6%
		124,316	

F37 Someone to have a good time with

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to have a good time with

Variable # 10
Sas Name: GOODTIME
Sas Label: Someone to have a good time with

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	1,448	1.2%
2	A little of the time	6,480	5.2%
3	Some of the time	20,829	16.8%
4	Most of the time	43,962	35.4%
5	All of the time	50,338	40.5%
.	Missing	1,259	1.0%
		124,316	

F37 Someone to help you understand problem

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to help you understand a problem when you need it

Variable # 11
Sas Name: HLPPROB
Sas Label: Someone to help understand a problem

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	2,729	2.2%
2	A little of the time	7,930	6.4%
3	Some of the time	19,992	16.1%
4	Most of the time	47,821	38.5%
5	All of the time	44,630	35.9%
.	Missing	1,214	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Someone to help with daily chores

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to help with daily chores if you are sick

Variable # 12
Sas Name: HLPCHORS
Sas Label: Someone to help with daily chores

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	9,803	7.9%
2	A little of the time	14,267	11.5%
3	Some of the time	20,025	16.1%
4	Most of the time	31,580	25.4%
5	All of the time	47,585	38.3%
.	Missing	1,056	0.8%
		124,316	

F37 Someone to share your private worries

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to share your most private worries and fears

Variable # 13
Sas Name: SHARE
Sas Label: Someone to share private worries/fears

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	7,495	6.0%
2	A little of the time	12,564	10.1%
3	Some of the time	18,759	15.1%
4	Most of the time	36,991	29.8%
5	All of the time	47,242	38.0%
.	Missing	1,265	1.0%
		124,316	

F37 Someone to do something fun with

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to do something fun with

Variable # 14
Sas Name: FUN
Sas Label: Someone to do something fun with

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	1,836	1.5%
2	A little of the time	7,885	6.3%
3	Some of the time	22,346	18.0%
4	Most of the time	44,439	35.7%
5	All of the time	46,719	37.6%
.	Missing	1,091	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Someone to love you

People sometimes look to to others for help, friendship, or other types of support. Next are some questions about the support that you have. How often is each of the following kinds of support available to you if you need it? Someone to love you and make you feel wanted

Variable # 15
Sas Name: LOVE
Sas Label: Someone to love you/make you feel wanted

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
1	None of the time	3,863	3.1%
2	A little of the time	7,736	6.2%
3	Some of the time	14,237	11.5%
4	Most of the time	31,040	25.0%
5	All of the time	66,109	53.2%
.	Missing	1,331	1.1%
		124,316	

F37 Live alone

Who lives with you? (Mark one oval for each item.) I live alone.

Variable # 16
Sas Name: LIVALN
Sas Label: Live alone

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	78,015	62.8%
1	Yes	35,435	28.5%
.	Missing	10,866	8.7%
		124,316	

F37 Live with husband or partner

Who lives with you? (Mark one oval for each item.) I live with my husband or partner.

Variable # 17
Sas Name: LIVPRT
Sas Label: Live with husband/partner

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	42,421	34.1%
1	Yes	72,913	58.7%
.	Missing	8,982	7.2%
		124,316	



WHI Baseline and Follow-Up Data

Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

F37 Live with children

Who lives with you? (Mark one oval for each item.) I live with my children.

Variable # 18

Usage Notes: none

Sas Name: LIVCHLD

Categories: Psychosocial/Behavioral

Sas Label: Live with children

Values		N	%
0	No	94,184	75.8%
1	Yes	14,640	11.8%
.	Missing	15,492	12.5%
		124,316	

F37 Live with brother or sister

Who lives with you? (Mark one oval for each item.) I live with my brother and/or sister.

Variable # 19

Usage Notes: none

Sas Name: LIVSIBL

Categories: Psychosocial/Behavioral

Sas Label: Live with brother/sister

Values		N	%
0	No	105,772	85.1%
1	Yes	1,491	1.2%
.	Missing	17,053	13.7%
		124,316	

F37 Live with other relative

Who lives with you? (Mark one oval for each item.) I live with other relatives.

Variable # 20

Usage Notes: none

Sas Name: LIVREL

Categories: Psychosocial/Behavioral

Sas Label: Live with relatives

Values		N	%
0	No	103,348	83.1%
1	Yes	3,816	3.1%
.	Missing	17,152	13.8%
		124,316	

F37 Live with friends

Who lives with you? (Mark one oval for each item.) I live with friends.

Variable # 21

Usage Notes: none

Sas Name: LIVFRNDS

Categories: Psychosocial/Behavioral

Sas Label: Live with friends

Values		N	%
0	No	105,709	85.0%
1	Yes	1,303	1.0%
.	Missing	17,304	13.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Others that live with you

Who lives with you? (Mark one oval for each item.) Other

Variable # 22

Sas Name: LIVOTH

Sas Label: Live with other than listed

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	76,438	61.5%
1	Yes	9,260	7.4%
.	Missing	38,618	31.1%
		124,316	

F37 Do you have a pet

Do you have a pet?

Variable # 23

Sas Name: PET

Sas Label: Have a pet

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	71,870	57.8%
1	Yes	50,272	40.4%
.	Missing	2,174	1.7%
		124,316	

F37 Dog

What kind of pet do you have? (Mark all that apply.) Dog.

Variable # 24

Sas Name: DOG

Sas Label: Dog

Usage Notes: Sub-question of F37 V6 Q11 "Do you have a pet".

Categories: Psychosocial/Behavioral

Values		N	%
0	No	20,800	16.7%
1	Yes	29,350	23.6%
.	Missing	74,166	59.7%
		124,316	

F37 Cat

What kind of pet do you have? (Mark all that apply.) Cat.

Variable # 25

Sas Name: CAT

Sas Label: Cat

Usage Notes: Sub-question of F37 V6 Q11 "Do you have a pet".

Categories: Psychosocial/Behavioral

Values		N	%
0	No	22,950	18.5%
1	Yes	27,200	21.9%
.	Missing	74,166	59.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Bird

What kind of pet do you have? (Mark all that apply.) Bird.

Variable # 26
Sas Name: BIRD
Sas Label: Bird

Usage Notes: Sub-question of F37 V6 Q11 "Do you have a pet".
Categories: Psychosocial/Behavioral

Values		N	%
0	No	46,236	37.2%
1	Yes	3,914	3.1%
.	Missing	74,166	59.7%
		124,316	

F37 Fish

What kind of pet do you have? (Mark all that apply.) Fish.

Variable # 27
Sas Name: FISH
Sas Label: Fish

Usage Notes: Sub-question of F37 V6 Q11 "Do you have a pet".
Categories: Psychosocial/Behavioral

Values		N	%
0	No	46,218	37.2%
1	Yes	3,932	3.2%
.	Missing	74,166	59.7%
		124,316	

F37 Other Pet

What kind of pet do you have? (Mark all that apply.) Other pet.

Variable # 28
Sas Name: OTHPET
Sas Label: Other pet

Usage Notes: Sub-question of F37 V6 Q11 "Do you have a pet".
Categories: Psychosocial/Behavioral

Values		N	%
0	No	48,033	38.6%
1	Yes	2,117	1.7%
.	Missing	74,166	59.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 How often gone to church

How often have you gone to a religious service or to church during the past month? (Mark only one oval.)

Variable # 29

Sas Name: RELGTIME

Sas Label: Times attend religious service/church

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Not at all in the past month	39,532	31.8%
2	Once in the past month	10,757	8.7%
3	2 or 3 times in the past month	15,159	12.2%
4	Once a week	38,140	30.7%
5	2 or 6 times a week	18,554	14.9%
6	Every day	1,545	1.2%
.	Missing	629	0.5%
		124,316	

F37 Religion strength and comfort

How much does religion give you strength and comfort? (Mark one oval.)

Variable # 30

Sas Name: RELSTRN

Sas Label: Religion gives strength and comfort

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	None	12,346	9.9%
2	A little	27,731	22.3%
3	A great deal	83,609	67.3%
.	Missing	630	0.5%
		124,316	

F37 How many meetings

How often have you gone to meetings of clubs, lodges, or parent groups in the last month? (Mark only one oval.)

Variable # 31

Sas Name: CLUB

Sas Label: Attend clubs/lodges/groups last month

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Not at all in the past month	49,441	39.8%
2	Once in the past month	20,500	16.5%
3	2 or 3 times in the past month	28,331	22.8%
4	Once a week	10,677	8.6%
5	2 or 6 times a week	8,214	6.6%
6	Every day	124	0.1%
.	Missing	7,029	5.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Helping sick friend

Are you now helping at least one sick, limited, or frail family member or friend on a regular basis?

Variable # 32

Sas Name: HLPICK

Sas Label: Helping sick family/friend

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	74,330	59.8%
1	Yes	48,635	39.1%
.	Missing	1,351	1.1%
		124,316	

F37 How often helped sick family/friend

In the past 4 weeks, how often have you helped this friend or family member?

Variable # 33

Sas Name: HLPICKT

Sas Label: Times helped sick family/friend

Usage Notes: Sub-question of F37 V6 Q15 "Helping sick friend".

Categories: Psychosocial/Behavioral

Values		N	%
1	Less than once a week	10,541	8.5%
2	1-2 times a week	18,011	14.5%
3	3-4 times a week	6,816	5.5%
4	5 or more times a week	13,086	10.5%
.	Missing	75,862	61.0%
		124,316	

F37 Get on your nerves

Of the people who are important to you, how many... Get on your nerves?

Variable # 34

Sas Name: NERVES

Sas Label: Number of people who get on nerves

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	None	49,275	39.6%
2	One	31,117	25.0%
3	Some	40,553	32.6%
4	Most	1,474	1.2%
5	All	869	0.7%
.	Missing	1,028	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Ask too much of you

Of the people who are important to you, how many... Ask too much of you?

Variable # 35

Sas Name: TOOMUCH

Sas Label: Number of people who ask too much

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	None	79,302	63.8%
2	One	19,721	15.9%
3	Some	20,603	16.6%
4	Most	2,633	2.1%
5	All	778	0.6%
.	Missing	1,279	1.0%
		124,316	

F37 Do not include you

Of the people who are important to you, how many... Do not include you?

Variable # 36

Sas Name: EXCLUDE

Sas Label: Number of people who exclude you

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	None	88,782	71.4%
2	One	11,747	9.4%
3	Some	17,941	14.4%
4	Most	1,996	1.6%
5	All	855	0.7%
.	Missing	2,995	2.4%
		124,316	

F37 Try to get you to do things

Of the people who are important to you, how many... Try to get you to do things you don't want to?

Variable # 37

Sas Name: COERCE

Sas Label: Number of people who try to coerce

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	None	82,606	66.4%
2	One	22,377	18.0%
3	Some	16,464	13.2%
4	Most	1,128	0.9%
5	All	445	0.4%
.	Missing	1,296	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 In unclear times, expect best

In unclear times, I usually expect the best.

Variable # 38

Sas Name: EXPCTBST

Sas Label: Usually expect the best

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	1,590	1.3%
2	Disagree	9,334	7.5%
3	Neutral (In-between)	44,489	35.8%
4	Agree	55,684	44.8%
5	Strongly agree	11,462	9.2%
.	Missing	1,757	1.4%
		124,316	

F37 If something can go wrong

If something can go wrong for me, it will.

Variable # 39

Sas Name: WRONG

Sas Label: Expect something that can will go wrong

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	23,910	19.2%
2	Disagree	58,057	46.7%
3	Neutral (In-between)	29,007	23.3%
4	Agree	10,316	8.3%
5	Strongly agree	1,363	1.1%
.	Missing	1,663	1.3%
		124,316	

F37 Always hopeful about future

I'm always hopeful about my future.

Variable # 40

Sas Name: HOPEFUL

Sas Label: Always hopeful about future

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	1,195	1.0%
2	Disagree	3,909	3.1%
3	Neutral (In-between)	17,656	14.2%
4	Agree	68,648	55.2%
5	Strongly agree	31,619	25.4%
.	Missing	1,289	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Hardly ever expect things to go my way

I hardly ever expect things to go my way.

Variable # 41

Sas Name: NOTMYWAY

Sas Label: Hardly ever expect things to go my way

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	31,397	25.3%
2	Disagree	61,958	49.8%
3	Neutral (In-between)	22,555	18.1%
4	Agree	6,160	5.0%
5	Strongly agree	1,136	0.9%
.	Missing	1,110	0.9%
		124,316	

F37 Rarely count on good things

I rarely count on good things happening to me.

Variable # 42

Sas Name: COUNTGD

Sas Label: Rarely count on good things happening

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	38,659	31.1%
2	Disagree	58,748	47.3%
3	Neutral (In-between)	16,419	13.2%
4	Agree	7,250	5.8%
5	Strongly agree	2,028	1.6%
.	Missing	1,212	1.0%
		124,316	

F37 Expect more good things

Overall, I expect more good things to happen to me than bad.

Variable # 43

Sas Name: MOREGOOD

Sas Label: Expect more good things than bad

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	2,512	2.0%
2	Disagree	4,207	3.4%
3	Neutral (In-between)	11,662	9.4%
4	Agree	70,785	56.9%
5	Strongly agree	34,243	27.5%
.	Missing	907	0.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 When I am angry, people know

When I am angry, people around me usually know.

Variable # 44

Sas Name: KNWANGRY

Sas Label: Usually people around know when angry

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	3,788	3.0%
2	Disagree	19,461	15.7%
3	Neutral (In-between)	29,626	23.8%
4	Agree	58,916	47.4%
5	Strongly agree	11,448	9.2%
.	Missing	1,077	0.9%
		124,316	

F37 People can tell from face

People can tell from my facial expressions how I am feeling.

Variable # 45

Sas Name: TELLFEEL

Sas Label: Tell from facial expressions how feeling

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	2,680	2.2%
2	Disagree	16,233	13.1%
3	Neutral (In-between)	33,636	27.1%
4	Agree	60,052	48.3%
5	Strongly agree	10,772	8.7%
.	Missing	943	0.8%
		124,316	

F37 Always express disappointment

I always express disappointment when things don't go as I'd like them to.

Variable # 46

Sas Name: DISAPPNT

Sas Label: Express disappointment

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	8,498	6.8%
2	Disagree	53,065	42.7%
3	Neutral (In-between)	40,554	32.6%
4	Agree	19,203	15.4%
5	Strongly agree	1,946	1.6%
.	Missing	1,050	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 If angry I will "cause scene"

If someone makes me angry in a public place, I will "cause a scene."

Variable # 47

Sas Name: SCENEPUB

Sas Label: If angered, cause scene in public place

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	66,362	53.4%
2	Disagree	45,524	36.6%
3	Neutral (In-between)	8,821	7.1%
4	Agree	1,506	1.2%
5	Strongly agree	1,033	0.8%
.	Missing	1,070	0.9%
		124,316	

F37 After I express anger

After I express anger at someone, it bothers me for a long time.

Variable # 48

Sas Name: BOTHER

Sas Label: After anger bothered for a long time

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	7,045	5.7%
2	Disagree	29,884	24.0%
3	Neutral (In-between)	34,186	27.5%
4	Agree	44,713	36.0%
5	Strongly agree	7,489	6.0%
.	Missing	999	0.8%
		124,316	

F37 Try to suppress my anger

I try to suppress my anger, but I would like other people to know how I feel.

Variable # 49

Sas Name: SUPPRESS

Sas Label: Usually suppress anger

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	3,899	3.1%
2	Disagree	19,703	15.8%
3	Neutral (In-between)	34,767	28.0%
4	Agree	60,710	48.8%
5	Strongly agree	4,222	3.4%
.	Missing	1,015	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 I worry about expressing neg emotions

I worry that if I express negative emotions such as fear and anger, other people will not approve of me.

Variable # 50

Sas Name: APPRVNEG

Sas Label: Fear others will not approve if negative

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Strongly disagree	18,838	15.2%
2	Disagree	58,169	46.8%
3	Neutral (In-between)	25,999	20.9%
4	Agree	17,598	14.2%
5	Strongly agree	2,589	2.1%
.	Missing	1,123	0.9%
		124,316	

F37 Often have to take orders

I have often had to take orders from someone who did not know as much as I did.

Variable # 51

Sas Name: ORDERS

Sas Label: Take orders from someone who knew less

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	False	80,495	64.8%
1	True	42,926	34.5%
.	Missing	895	0.7%
		124,316	

F37 People make bad luck

I think a great many people make a lot of their bad luck in order to gain the sympathy and help of others.

Variable # 52

Sas Name: BADLUCK

Sas Label: Think people make bad luck for sympathy

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	False	76,465	61.5%
1	True	46,800	37.6%
.	Missing	1,051	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Takes argument to convince truth

It takes a lot of argument to convince most people of the truth.

Variable # 53
Sas Name: TRUTH
Sas Label: Argue to convince people of truth

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	False	91,932	74.0%
1	True	30,830	24.8%
.	Missing	1,554	1.3%
		124,316	

F37 People would lie to get ahead

I think most people would lie to get ahead.

Variable # 54
Sas Name: LIE
Sas Label: Most people would lie to get ahead

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	False	94,924	76.4%
1	True	28,172	22.7%
.	Missing	1,220	1.0%
		124,316	

F37 People are mainly honest due to fear

Most people are honest mainly through fear of being caught.

Variable # 55
Sas Name: HONEST
Sas Label: Most people are honest due to fear

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	False	86,570	69.6%
1	True	36,451	29.3%
.	Missing	1,295	1.0%
		124,316	

F37 People unfair to profit

Most people will use somewhat unfair means to gain profit or an advantage rather than to lose it

Variable # 56
Sas Name: UNFAIR
Sas Label: Most people are unfair to gain profit

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	False	85,259	68.6%
1	True	37,494	30.2%
.	Missing	1,563	1.3%
		124,316	



Form 37 - Thoughts and Feelings

Data File: f37_ct_pub File Date: 07/19/2007 Structure: Multiple rows per participant Population: CT participants

F37 No one cares much what happens to you

No one cares much what happens to you.

Variable # 57

Usage Notes: none

Sas Name: NOCARE

Categories: Psychosocial/Behavioral

Sas Label: No one cares what happens to you

Values		N	%
0	False	114,206	91.9%
1	True	9,022	7.3%
.	Missing	1,088	0.9%
		124,316	

F37 It is safer to trust nobody

It is safer to trust nobody.

Variable # 58

Usage Notes: none

Sas Name: TRUSTNO

Categories: Psychosocial/Behavioral

Sas Label: Safer to trust nobody

Values		N	%
0	False	111,277	89.5%
1	True	11,804	9.5%
.	Missing	1,235	1.0%
		124,316	

F37 People make friends because useful

Most people make friends because friends are likely to be useful to them.

Variable # 59

Usage Notes: none

Sas Name: FRNDSUSE

Categories: Psychosocial/Behavioral

Sas Label: Make friends because friends are useful

Values		N	%
0	False	108,408	87.2%
1	True	14,690	11.8%
.	Missing	1,218	1.0%
		124,316	

F37 Do not put themselves out

Most people inwardly do not like putting themselves out to help other people.

Variable # 60

Usage Notes: none

Sas Name: NOHELP

Categories: Psychosocial/Behavioral

Sas Label: People inwardly don't like to help

Values		N	%
0	False	101,196	81.4%
1	True	21,867	17.6%
.	Missing	1,253	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Experts no better than I

I have often met people who were supposed to be experts who were no better than I.

Variable # 61

Sas Name: EXPERTS

Sas Label: Experts often no better than I

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	False	62,061	49.9%
1	True	60,805	48.9%
.	Missing	1,450	1.2%
		124,316	

F37 People more for own rights

People often demand more respect for their own rights than they are willing to allow for others.

Variable # 62

Sas Name: RESPECT

Sas Label: People demand more respect than give

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	False	53,716	43.2%
1	True	69,234	55.7%
.	Missing	1,366	1.1%
		124,316	

F37 Bad sexual behavior

A large number of people are guilty of bad sexual behavior.

Variable # 63

Sas Name: BADSEX

Sas Label: People guilty of bad sexual behavior

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	False	85,670	68.9%
1	True	35,904	28.9%
.	Missing	2,742	2.2%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Rate quality of life

Overall, how you would rate your quality of life? (Mark one oval in the box below.)

Variable # 64

Sas Name: LIFEQUAL

Sas Label: Rate quality of life

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Worst	61	0.0%
1	1	63	0.1%
2	2	191	0.2%
3	3	545	0.4%
4	4	1,026	0.8%
5	Halfway	7,927	6.4%
6	6	4,364	3.5%
7	7	13,749	11.1%
8	8	38,982	31.4%
9	9	32,513	26.2%
10	Best	23,850	19.2%
.	Missing	1,045	0.8%
		124,316	

F37 Satisfied with quality of life

How satisfied are you with your current quality of life? (Mark one oval in the box below.)

Variable # 65

Sas Name: SATLIFE

Sas Label: Satisfied with quality of life

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Dissatisfied	551	0.4%
1	1	416	0.3%
2	2	878	0.7%
3	3	1,775	1.4%
4	4	2,365	1.9%
5	Halfway	9,851	7.9%
6	6	5,422	4.4%
7	7	12,288	9.9%
8	8	29,440	23.7%
9	9	28,767	23.1%
10	Satisfied	31,533	25.4%
.	Missing	1,030	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Rate current sense of well-being

How would you rate your current sense of well-being? (Mark one oval in the box below.)

Variable # 66

Usage Notes: Not collected on all versions of Form 37.

Sas Name: WELBEING

Categories: Psychosocial/Behavioral

Sas Label: Rate current sense of well-being

Values		N	%
0	Worst	40	0.0%
1	1	77	0.1%
2	2	223	0.2%
3	3	574	0.5%
4	4	925	0.7%
5	Halfway	4,204	3.4%
6	6	2,511	2.0%
7	7	5,952	4.8%
8	8	14,537	11.7%
9	9	15,874	12.8%
10	Best	10,583	8.5%
.	Missing	68,816	55.4%
		124,316	

F37 In general, health is

In general, would you say your health is (Mark one oval.)

Variable # 67

Usage Notes: none

Sas Name: GENHEL

Categories: Psychosocial/Behavioral

Sas Label: In general, health is

Values		N	%
1	Excellent	16,915	13.6%
2	Very good	49,202	39.6%
3	Good	44,376	35.7%
4	Fair	11,789	9.5%
5	Poor	1,092	0.9%
.	Missing	942	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Compare health to 1 year ago

Compared to one year ago, how would you rate your health in general now? (Mark one oval.)

Variable # 68

Sas Name: HLTHC1Y

Sas Label: Compare health to 1 year ago

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	Much better now than 1 year ago	9,482	7.6%
2	Somewhat better now than 1 year ago	14,852	11.9%
3	About the same time	80,756	65.0%
4	Somewhat worse now than 1 year ago	17,166	13.8%
5	Much worse than 1 year ago	1,235	1.0%
.	Missing	825	0.7%
		124,316	

F37 Vigorous activities

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Vigorous activities, such as running, lifting heavy objects, or strenuous sports

Variable # 69

Sas Name: VIGACT

Sas Label: Vigorous activities

Usage Notes: none

Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	46,032	37.0%
2	Yes, limited a little	55,521	44.7%
3	No, not limited at all	21,695	17.5%
.	Missing	1,068	0.9%
		124,316	

F37 Moderate activities

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Moderate activities, such as moving a table, vacuuming, bowling, or golfing

Variable # 70

Sas Name: MODACT

Sas Label: Moderate activities

Usage Notes: none

Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	10,426	8.4%
2	Yes, limited a little	34,646	27.9%
3	No, not limited at all	78,310	63.0%
.	Missing	934	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Lifting or carrying groceries

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Lifting or carrying groceries

Variable # 71
Sas Name: LIFTGROC
Sas Label: Lifting or carrying groceries

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	5,761	4.6%
2	Yes, limited a little	26,800	21.6%
3	No, not limited at all	90,160	72.5%
.	Missing	1,595	1.3%
		124,316	

F37 Climbing several flights

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Climbing several flights of stairs

Variable # 72
Sas Name: STAIRS
Sas Label: Climbing several flights

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	18,476	14.9%
2	Yes, limited a little	44,734	36.0%
3	No, not limited at all	60,207	48.4%
.	Missing	899	0.7%
		124,316	

F37 Climbing one flight of stairs

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Climbing one flight of stairs

Variable # 73
Sas Name: STAIR
Sas Label: Climbing one flight of stairs

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	5,466	4.4%
2	Yes, limited a little	21,620	17.4%
3	No, not limited at all	96,147	77.3%
.	Missing	1,083	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Bending, kneeling, stooping

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Bending, kneeling, stooping

Variable # 74
Sas Name: BENDING
Sas Label: Bending, kneeling, stooping

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	14,745	11.9%
2	Yes, limited a little	49,427	39.8%
3	No, not limited at all	59,243	47.7%
.	Missing	901	0.7%
		124,316	

F37 Walking more than one mile

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking more than a mile

Variable # 75
Sas Name: WALK1M
Sas Label: Walking more than one mile

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	20,117	16.2%
2	Yes, limited a little	31,094	25.0%
3	No, not limited at all	72,013	57.9%
.	Missing	1,092	0.9%
		124,316	

F37 Walking several blocks

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking several blocks

Variable # 76
Sas Name: WALKBLKS
Sas Label: Walking several blocks

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	11,781	9.5%
2	Yes, limited a little	20,833	16.8%
3	No, not limited at all	90,753	73.0%
.	Missing	949	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Walking one block

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Walking one block

Variable # 77
Sas Name: WALK1BLK
Sas Label: Walking one block

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	4,024	3.2%
2	Yes, limited a little	11,352	9.1%
3	No, not limited at all	107,735	86.7%
.	Missing	1,205	1.0%
		124,316	

F37 Bathing or dressing yourself

The following are questions about a typical (or usual) day's activities. Does your health now limit you in these activities and, if so, how much? (Mark one oval for each question.) Bathing or dressing yourself

Variable # 78
Sas Name: BATHING
Sas Label: Bathing or dressing yourself

Usage Notes: none
Categories: Physical Activity

Values		N	%
1	Yes, limited a lot	1,062	0.9%
2	Yes, limited a little	4,745	3.8%
3	No, not limited at all	117,507	94.5%
.	Missing	1,002	0.8%
		124,316	

F37 Phys or emotional probs interfere

During the past 4 weeks, to what extent has your physical health or emotional problems interfered with your normal social activities with family, neighbors, friends or groups? (Mark one oval.)

Variable # 79
Sas Name: INTSOC
Sas Label: Phys or emotional probs interfere

Usage Notes: none
Categories: Lifestyle
Medical History

Values		N	%
1	Not at all	88,285	71.0%
2	Slightly	19,293	15.5%
3	Moderately	9,401	7.6%
4	Quite a bit	5,111	4.1%
5	Extremely	1,365	1.1%
.	Missing	861	0.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 How much body pain

During the past four weeks, how much bodily pain have you had? (Mark one oval.)

Variable # 80		Usage Notes: none	
Sas Name: BODPAIN		Categories: Lifestyle	
Sas Label: How much body pain		Medical History	
Values		N	%
0	None	23,108	18.6%
2	Very mild	44,006	35.4%
3	Mild	27,487	22.1%
4	Moderate	24,088	19.4%
5	Severe	4,812	3.9%
.	Missing	815	0.7%
		124,316	

F37 How much did pain interfere

During the past four weeks, how much did pain interfere with your normal work (both outside your home and at home)? (Mark one oval.)

Variable # 81		Usage Notes: none	
Sas Name: PAININT		Categories: Lifestyle	
Sas Label: How much did pain interfere		Medical History	
Values		N	%
1	Not at all	68,538	55.1%
2	A little bit	30,579	24.6%
3	Moderately	14,801	11.9%
4	Quite a bit	7,767	6.2%
5	Extremely	1,847	1.5%
.	Missing	784	0.6%
		124,316	

F37 Phys/cut down on time spent

The next questions are about your regular daily activities like work, child care, or community activities. As a result of you physical health, have any of the following problems occurred during the past 4 weeks? You cut down on the amount of time you spent on work or other activities

Variable # 82		Usage Notes: none	
Sas Name: LESSWRKP		Categories: Lifestyle	
Sas Label: Phys/cut down on time spent		Medical History	
Values		N	%
0	No	98,454	79.2%
1	Yes	24,924	20.0%
.	Missing	938	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Phys/Accomplished less

The next questions are about your regular daily activities like work, child care, or community activities. As a result of you physical health, have any of the following problems occurred during the past 4 weeks? You accomplished less than you would have liked

Variable # 83			Usage Notes: none
Sas Name: LESSACCP			Categories: Lifestyle Medical History
Sas Label: Phys/Accomplished less			
Values		N	%
0	No	68,832	55.4%
1	Yes	54,521	43.9%
.	Missing	963	0.8%
		124,316	

F37 Phys/limited kind of work

The next questions are about your regular daily activities like work, child care, or community activities. As a result of you physical health, have any of the following problems occurred during the past 4 weeks? You were limited in the kind of work or other activities you did

Variable # 84

Sas Name: LESSKNDP

Sas Label: Phys/limited kind of work

Usage Notes: none

Categories: Lifestyle
Medical History

Values		N	%
0	No	86,782	69.8%
1	Yes	36,325	29.2%
.	Missing	1,209	1.0%
		124,316	

F37 Phys/difficulty perform work

The next questions are about your regular daily activities like work, child care, or community activities. As a result of you physical health, have any of the following problems occurred during the past 4 weeks? You had difficulty performing work or other activities (it took extra effort)

Variable # 85			Usage Notes: none
Sas Name: WRKDIFFP			Categories: Lifestyle Medical History
Sas Label: Phys/difficulty perform work			
Values		N	%
0	No	85,188	68.5%
1	Yes	37,978	30.5%
.	Missing	1,150	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Emot/cut down on time spent

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You cut down on the amount of time spent on work or other activities

Variable # 86		Usage Notes: none	
Sas Name: LESSWRKE		Categories: Physical Activity Psychosocial/Behavioral	
Sas Label: Emot/cut down on time spent			
Values		N	%
0	No	107,047	86.1%
1	Yes	16,200	13.0%
.	Missing	1,069	0.9%
		124,316	

F37 Emot/Accomplished less

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You accomplished less than you would have liked

Variable # 87		Usage Notes: none	
Sas Name: LESSACCE		Categories: Physical Activity Psychosocial/Behavioral	
Sas Label: Emot/Accomplished less			
Values		N	%
0	No	89,516	72.0%
1	Yes	33,717	27.1%
.	Missing	1,083	0.9%
		124,316	

F37 Emot/Worked less careful

In the past four weeks, as a result of any emotional problem (feeling depressed or anxious), have any of the following occurred? You did work or other things less carefully than usual.

Variable # 88		Usage Notes: none	
Sas Name: LESSCARE		Categories: Physical Activity Psychosocial/Behavioral	
Sas Label: Emot/Worked less carefully			
Values		N	%
0	No	107,773	86.7%
1	Yes	15,293	12.3%
.	Missing	1,250	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 I get sick easier

Of these statements, how true or false is each for you? I seem to get sick a little easier than other people.

Variable # 89		Usage Notes: none	
Sas Name: SICKEASY		Categories: Medical History Psychosocial/Behavioral	
Sas Label: I get sick easier			
Values		N	%
1	Definitely true	1,010	0.8%
2	Mostly true	3,051	2.5%
3	Not sure	10,343	8.3%
4	Mostly false	31,233	25.1%
5	Definitely false	77,708	62.5%
.	Missing	971	0.8%
		124,316	

F37 I am as healthy as anybody

Of these statements, how true or false is each for you? I am as healthy as anybody I know.

Variable # 90		Usage Notes: none	
Sas Name: HLTHYANY		Categories: Medical History Psychosocial/Behavioral	
Sas Label: I am as healthy as anybody			
Values		N	%
1	Definitely true	40,398	32.5%
2	Mostly true	51,447	41.4%
3	Not sure	17,151	13.8%
4	Mostly false	8,420	6.8%
5	Definitely false	5,951	4.8%
.	Missing	949	0.8%
		124,316	

F37 I expect health to get worse

Of these statements, how true or false is each for you? I expect my health to get worse.

Variable # 91		Usage Notes: none	
Sas Name: HLTHWORS		Categories: Medical History Psychosocial/Behavioral	
Sas Label: I expect health to get worse			
Values		N	%
1	Definitely true	2,486	2.0%
2	Mostly true	12,360	9.9%
3	Not sure	37,730	30.4%
4	Mostly false	32,781	26.4%
5	Definitely false	37,795	30.4%
.	Missing	1,164	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 My health is excellent

Of these statements, how true or false is each for you? My health is excellent.

Variable # 92		Usage Notes: none	
Sas Name: HLTHEXCL		Categories: Medical History Psychosocial/Behavioral	
Sas Label: My health is excellent			
Values		N	%
1	Definitely true	28,404	22.8%
2	Mostly true	62,915	50.6%
3	Not sure	13,991	11.3%
4	Mostly false	11,165	9.0%
5	Definitely false	6,814	5.5%
.	Missing	1,027	0.8%
		124,316	

F37 Physical or emotional prob

During the past 4 weeks, how much of the time has your physical health or emotional problems interfered with your social activities (like visiting with friends and relatives)?

Variable # 93		Usage Notes: none	
Sas Name: INTSOC2		Categories: Medical History Psychosocial/Behavioral	
Sas Label: Physical or emotional problem			
Values		N	%
1	All of the time	1,195	1.0%
2	Most of the time	3,012	2.4%
3	Some of the time	12,513	10.1%
4	A little bit of the time	20,193	16.2%
5	None of the time	86,492	69.6%
.	Missing	911	0.7%
		124,316	

F37 Did you feel full of pep

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Did you feel full of pep?

Variable # 94		Usage Notes: none	
Sas Name: FULLPEP		Categories: Psychosocial/Behavioral	
Sas Label: Did you feel full of pep			
Values		N	%
1	All of the time	3,444	2.8%
2	Most of the time	41,002	33.0%
3	A good bit of the time	31,522	25.4%
4	Some of the time	28,828	23.2%
5	A little bit of the time	12,971	10.4%
6	None of the time	5,495	4.4%
.	Missing	1,054	0.8%
		124,316	



Form 37 - Thoughts and Feelings

Data File: f37_ct_pub File Date: 07/19/2007 Structure: Multiple rows per participant Population: CT participants

F37 Have you been a very nervous person

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closest to the way you have been feeling. Have you been a very nervous person?

Variable # 95

Sas Name: NERVOUS

Sas Label: Have you been a very nervous person

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	600	0.5%
2	Most of the time	1,994	1.6%
3	A good bit of the time	4,334	3.5%
4	Some of the time	16,700	13.4%
5	A little bit of the time	42,150	33.9%
6	None of the time	57,638	46.4%
.	Missing	900	0.7%
		124,316	

F37 Felt down in dumps

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you felt so down in the dumps that nothing could cheer you up?

Variable # 96

Sas Name: DWNDUMPS

Sas Label: Felt down in dumps

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	259	0.2%
2	Most of the time	672	0.5%
3	A good bit of the time	1,962	1.6%
4	Some of the time	8,199	6.6%
5	A little bit of the time	21,428	17.2%
6	None of the time	90,773	73.0%
.	Missing	1,023	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Felt calm and peaceful

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you felt calm and peaceful?

Variable # 97

Sas Name: CALM

Sas Label: Felt calm and peaceful

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	7,038	5.7%
2	Most of the time	60,225	48.4%
3	A good bit of the time	27,215	21.9%
4	Some of the time	19,675	15.8%
5	A little bit of the time	7,111	5.7%
6	None of the time	1,853	1.5%
.	Missing	1,199	1.0%
		124,316	

F37 Had lots of energy

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Did you have a lot of energy?

Variable # 98

Sas Name: ENERGY

Sas Label: Had lots of energy

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	5,003	4.0%
2	Most of the time	39,968	32.2%
3	A good bit of the time	27,748	22.3%
4	Some of the time	27,936	22.5%
5	A little bit of the time	15,141	12.2%
6	None of the time	7,379	5.9%
.	Missing	1,141	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Felt downhearted and blue

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you felt downhearted and blue?

Variable # 99

Usage Notes: none

Sas Name: FELTBBLUE

Categories: Psychosocial/Behavioral

Sas Label: Felt downhearted and blue

Values		N	%
1	All of the time	369	0.3%
2	Most of the time	1,367	1.1%
3	A good bit of the time	3,792	3.1%
4	Some of the time	17,519	14.1%
5	A little bit of the time	47,909	38.5%
6	None of the time	52,247	42.0%
.	Missing	1,113	0.9%
		124,316	

F37 Did you feel worn out

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Did you feel worn out?

Variable # 100

Usage Notes: none

Sas Name: WORNOUT

Categories: Psychosocial/Behavioral

Sas Label: Did you feel worn out

Values		N	%
1	All of the time	1,142	0.9%
2	Most of the time	4,550	3.7%
3	A good bit of the time	9,560	7.7%
4	Some of the time	33,913	27.3%
5	A little bit of the time	51,829	41.7%
6	None of the time	22,110	17.8%
.	Missing	1,212	1.0%
		124,316	



Form 37 - Thoughts and Feelings

Data File: f37_ct_pub File Date: 07/19/2007 Structure: Multiple rows per participant Population: CT participants

F37 Have you been happy

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Have you been happy?

Variable # 101

Sas Name: HAPPY

Sas Label: Have you been happy

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	13,219	10.6%
2	Most of the time	70,902	57.0%
3	A good bit of the time	19,392	15.6%
4	Some of the time	14,036	11.3%
5	A little bit of the time	4,728	3.8%
6	None of the time	1,170	0.9%
.	Missing	869	0.7%
		124,316	

F37 Did you feel tired

These questions are about how you feel and how things have been during the past 4 weeks. Give the one answer that comes closet to the way you have been feeling. Did you feel tired?

Variable # 102

Sas Name: TIRED

Sas Label: Did you feel tired

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
1	All of the time	2,377	1.9%
2	Most of the time	7,665	6.2%
3	A good bit of the time	14,111	11.4%
4	Some of the time	45,658	36.7%
5	A little bit of the time	47,357	38.1%
6	None of the time	6,255	5.0%
.	Missing	893	0.7%
		124,316	

F37 Can you eat

Can you eat:

Variable # 103

Sas Name: EAT

Sas Label: Can you eat

Usage Notes: none

Categories: Physical Activity

Values		N	%
1	Without help (can feed self completely)	113,855	91.6%
2	With some help (help cutting, etc.)	310	0.2%
3	Completely unable to feed self	569	0.5%
.	Missing	9,582	7.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Can you dress and undress

Can you dress and undress yourself:

Variable # 104

Sas Name: DRESS

Sas Label: Can you dress and undress self

Usage Notes: none

Categories: Physical Activity

Values		N	%
1	Without help (can pick clothes, dress)	113,795	91.5%
2	With some help	669	0.5%
3	Unable to dress and undress self	253	0.2%
.	Missing	9,599	7.7%
		124,316	

F37 Can you get in and out of bed

Can you get in and out of bed:

Variable # 105

Sas Name: INOUTBED

Sas Label: Can you get in and out of bed

Usage Notes: none

Categories: Physical Activity

Values		N	%
1	Without any help or aids	113,941	91.7%
2	With some help (from a person or device)	706	0.6%
3	Totally dependent to person to lift self	88	0.1%
.	Missing	9,581	7.7%
		124,316	

F37 Can you take a bath or shower

Can you take a bath or shower:

Variable # 106

Sas Name: SHOWER

Sas Label: Can you take a bath or shower

Usage Notes: none

Categories: Physical Activity

Values		N	%
1	Without help	112,787	90.7%
2	With some help (help in/out, tub attach)	1,778	1.4%
3	Completely unable to bathe self	159	0.1%
.	Missing	9,592	7.7%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Bloating or gas

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Bloating or gas

Variable # 107
Sas Name: BLOATING
Sas Label: Bloating or gas

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	42,594	34.3%
1	Symptom was mild	58,587	47.1%
2	Symptom was moderate	17,519	14.1%
3	Symptom was severe	2,815	2.3%
.	Missing	2,801	2.3%
		124,316	

F37 Constipation

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Constipation (difficulty having bowel movements)

Variable # 108
Sas Name: CONSTIP
Sas Label: Constipation

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	77,027	62.0%
1	Symptom was mild	33,623	27.0%
2	Symptom was moderate	10,163	8.2%
3	Symptom was severe	2,419	1.9%
.	Missing	1,084	0.9%
		124,316	

F37 Night sweats

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Night sweats

Variable # 109
Sas Name: NIGHTSWT
Sas Label: Night sweats

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	87,994	70.8%
1	Symptom was mild	25,000	20.1%
2	Symptom was moderate	8,157	6.6%
3	Symptom was severe	1,731	1.4%
.	Missing	1,434	1.2%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 General aches and pains

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. General aches or pains

Variable # 110
Sas Name: ACHES
Sas Label: General aches and pains

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	21,119	17.0%
1	Symptom was mild	67,379	54.2%
2	Symptom was moderate	29,261	23.5%
3	Symptom was severe	5,311	4.3%
.	Missing	1,246	1.0%
		124,316	

F37 Breast tenderness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Breast tenderness

Variable # 111
Sas Name: BRSTTEN
Sas Label: Breast tenderness

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	103,239	83.0%
1	Symptom was mild	16,555	13.3%
2	Symptom was moderate	3,036	2.4%
3	Symptom was severe	458	0.4%
.	Missing	1,028	0.8%
		124,316	

F37 Hot flashes

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Hot flashes

Variable # 112
Sas Name: HOTFLASH
Sas Label: Hot flashes

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	91,743	73.8%
1	Symptom was mild	22,353	18.0%
2	Symptom was moderate	7,420	6.0%
3	Symptom was severe	1,828	1.5%
.	Missing	972	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Diarrhea

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Diarrhea

Variable # 113
Sas Name: DIARRHEA
Sas Label: Diarrhea

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	92,245	74.2%
1	Symptom was mild	23,517	18.9%
2	Symptom was moderate	5,861	4.7%
3	Symptom was severe	1,669	1.3%
.	Missing	1,024	0.8%
		124,316	

F37 Mood swings

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Mood swings

Variable # 114
Sas Name: MOODSWNG
Sas Label: Mood swings

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	80,364	64.6%
1	Symptom was mild	35,364	28.4%
2	Symptom was moderate	6,783	5.5%
3	Symptom was severe	672	0.5%
.	Missing	1,133	0.9%
		124,316	

F37 Nausea

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Nausea

Variable # 115
Sas Name: NAUSEA
Sas Label: Nausea

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	108,870	87.6%
1	Symptom was mild	11,761	9.5%
2	Symptom was moderate	1,999	1.6%
3	Symptom was severe	619	0.5%
.	Missing	1,067	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Dizziness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Dizziness

Variable # 116
Sas Name: DIZZY
Sas Label: Dizziness

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	98,388	79.1%
1	Symptom was mild	20,576	16.6%
2	Symptom was moderate	3,602	2.9%
3	Symptom was severe	694	0.6%
.	Missing	1,056	0.8%
		124,316	

F37 Feeling tired

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Feeling tired

Variable # 117
Sas Name: TIRED2
Sas Label: Feeling tired

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	14,315	11.5%
1	Symptom was mild	75,675	60.9%
2	Symptom was moderate	28,319	22.8%
3	Symptom was severe	4,918	4.0%
.	Missing	1,089	0.9%
		124,316	

F37 Forgetfulness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Forgetfulness

Variable # 118
Sas Name: FORGET
Sas Label: Forgetfulness

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	46,215	37.2%
1	Symptom was mild	63,091	50.8%
2	Symptom was moderate	12,389	10.0%
3	Symptom was severe	1,525	1.2%
.	Missing	1,096	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Increased appetite

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Increased appetite

Variable # 119
Sas Name: HUNGRY
Sas Label: Increased appetite

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	83,187	66.9%
1	Symptom was mild	28,920	23.3%
2	Symptom was moderate	9,295	7.5%
3	Symptom was severe	1,650	1.3%
.	Missing	1,264	1.0%
		124,316	

F37 Heart racing or skipping

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you... Be sure to mark one box on each line. Heart racing or skipping beats

Variable # 120
Sas Name: HEARTRAC
Sas Label: Heart racing or skipping beats

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	96,724	77.8%
1	Symptom was mild	21,189	17.0%
2	Symptom was moderate	4,542	3.7%
3	Symptom was severe	747	0.6%
.	Missing	1,114	0.9%
		124,316	

F37 Tremors

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Tremors (shakes)

Variable # 121
Sas Name: TREMORS
Sas Label: Tremors

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	113,953	91.7%
1	Symptom was mild	7,049	5.7%
2	Symptom was moderate	1,771	1.4%
3	Symptom was severe	411	0.3%
.	Missing	1,132	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Heartburn

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Heartburn

Variable # 122
Sas Name: HEARTBRN
Sas Label: Heartburn

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	76,614	61.6%
1	Symptom was mild	34,161	27.5%
2	Symptom was moderate	9,961	8.0%
3	Symptom was severe	2,420	1.9%
.	Missing	1,160	0.9%
		124,316	

F37 Restless and fidgety

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Restless or fidgety

Variable # 123
Sas Name: RESTLESS
Sas Label: Restless and fidgety

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	79,456	63.9%
1	Symptom was mild	35,476	28.5%
2	Symptom was moderate	7,137	5.7%
3	Symptom was severe	852	0.7%
.	Missing	1,395	1.1%
		124,316	

F37 Low back pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Low back pain

Variable # 124
Sas Name: LOWBACKP
Sas Label: Low back pain

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	51,686	41.6%
1	Symptom was mild	42,821	34.4%
2	Symptom was moderate	21,192	17.0%
3	Symptom was severe	7,526	6.1%
.	Missing	1,091	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Neck pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Neck pain

Variable # 125
Sas Name: NECKPAIN
Sas Label: Neck pain

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	69,163	55.6%
1	Symptom was mild	35,694	28.7%
2	Symptom was moderate	14,583	11.7%
3	Symptom was severe	3,601	2.9%
.	Missing	1,275	1.0%
		124,316	

F37 Skin dryness or scaling

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Skin dryness or scaling

Variable # 126
Sas Name: SKINDRY
Sas Label: Skin dryness or scaling

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	52,454	42.2%
1	Symptom was mild	49,991	40.2%
2	Symptom was moderate	16,853	13.6%
3	Symptom was severe	4,099	3.3%
.	Missing	919	0.7%
		124,316	

F37 Headaches or migraines

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Headaches or migraines

Variable # 127
Sas Name: HEADACHE
Sas Label: Headaches or migraines

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	72,173	58.1%
1	Symptom was mild	39,703	31.9%
2	Symptom was moderate	9,241	7.4%
3	Symptom was severe	2,176	1.8%
.	Missing	1,023	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Clumsiness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Clumsiness

Variable # 128
Sas Name: CLUMSY
Sas Label: Clumsiness

Usage Notes: none

Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	86,102	69.3%
1	Symptom was mild	31,804	25.6%
2	Symptom was moderate	4,396	3.5%
3	Symptom was severe	427	0.3%
.	Missing	1,587	1.3%
		124,316	

F37 Trouble with vision

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Any trouble seeing that is uncorrected by lenses

Variable # 129
Sas Name: TRBSEE
Sas Label: Trouble with vision

Usage Notes: none

Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	97,100	78.1%
1	Symptom was mild	18,378	14.8%
2	Symptom was moderate	5,556	4.5%
3	Symptom was severe	1,559	1.3%
.	Missing	1,723	1.4%
		124,316	

F37 Vaginal or genital irritation

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital irritation or itching

Variable # 130
Sas Name: VAGITCH
Sas Label: Vaginal or genital irritation

Usage Notes: none

Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	99,980	80.4%
1	Symptom was mild	18,622	15.0%
2	Symptom was moderate	3,631	2.9%
3	Symptom was severe	948	0.8%
.	Missing	1,135	0.9%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Difficulty concentrating

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Difficulty concentrating

Variable # 131
Sas Name: CONCEN
Sas Label: Difficulty concentrating

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	81,091	65.2%
1	Symptom was mild	35,493	28.6%
2	Symptom was moderate	5,479	4.4%
3	Symptom was severe	818	0.7%
.	Missing	1,435	1.2%
		124,316	

F37 Joint pain or stiffness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you... Be sure to mark one box on each line. Joint pain or stiffness

Variable # 132
Sas Name: JNTPAIN
Sas Label: Joint pain or stiffness

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	28,961	23.3%
1	Symptom was mild	57,533	46.3%
2	Symptom was moderate	28,032	22.5%
3	Symptom was severe	8,698	7.0%
.	Missing	1,092	0.9%
		124,316	

F37 Decreased appetite

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Decreased appetite

Variable # 133
Sas Name: NOHUNGER
Sas Label: Decreased appetite

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	111,087	89.4%
1	Symptom was mild	9,504	7.6%
2	Symptom was moderate	1,965	1.6%
3	Symptom was severe	437	0.4%
.	Missing	1,323	1.1%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Hearing loss

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Hearing loss

Variable # 134
Sas Name: HEARLOSS
Sas Label: Hearing loss

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	91,883	73.9%
1	Symptom was mild	22,693	18.3%
2	Symptom was moderate	6,677	5.4%
3	Symptom was severe	1,748	1.4%
.	Missing	1,315	1.1%
		124,316	

F37 Swelling of hands or feet

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Swelling of hands or feet

Variable # 135
Sas Name: SWELLHND
Sas Label: Swelling of hands or feet

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	82,151	66.1%
1	Symptom was mild	31,017	25.0%
2	Symptom was moderate	8,107	6.5%
3	Symptom was severe	1,749	1.4%
.	Missing	1,292	1.0%
		124,316	

F37 Vaginal or genital dryness

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital dryness

Variable # 136
Sas Name: VAGDRY
Sas Label: Vaginal or genital dryness

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	89,955	72.4%
1	Symptom was mild	23,878	19.2%
2	Symptom was moderate	7,114	5.7%
3	Symptom was severe	2,080	1.7%
.	Missing	1,289	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Upset stomach or belly pain

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Upset stomach or belly pain or discomfort

Variable # 137
Sas Name: UPSTOM
Sas Label: Upset stomach or belly pain

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	85,301	68.6%
1	Symptom was mild	28,984	23.3%
2	Symptom was moderate	7,013	5.6%
3	Symptom was severe	1,680	1.4%
.	Missing	1,338	1.1%
		124,316	

F37 Pain/burning while urinating

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Pain or burning while urinating

Variable # 138
Sas Name: URINPAIN
Sas Label: Pain/burning while urinating

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	115,984	93.3%
1	Symptom was mild	5,501	4.4%
2	Symptom was moderate	1,242	1.0%
3	Symptom was severe	455	0.4%
.	Missing	1,134	0.9%
		124,316	

F37 Coughing or wheezing

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Cough or wheezing

Variable # 139
Sas Name: COUGH
Sas Label: Coughing or wheezing

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	80,711	64.9%
1	Symptom was mild	30,490	24.5%
2	Symptom was moderate	9,311	7.5%
3	Symptom was severe	2,576	2.1%
.	Missing	1,228	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Vaginal or genital discharge

Below is a list of symptoms people sometimes have. For each item, mark the one oval that best describes how bothersome the symptom was during the past 4 weeks for you. Be sure to mark one oval on each line. Vaginal or genital discharge

Variable # 140
Sas Name: VAGDIS
Sas Label: Vaginal or genital discharge

Usage Notes: none
Categories: Medical History: Other Disease/Condition

Values		N	%
0	Symptom did not occur	111,228	89.5%
1	Symptom was mild	10,573	8.5%
2	Symptom was moderate	1,201	1.0%
3	Symptom was severe	214	0.2%
.	Missing	1,100	0.9%
		124,316	

F37 Feeling nervous, anxious, on edge

During the last 4 weeks, how often have you been bothered by any of the following problems? Feeling nervous, anxious, on edge, or worrying a lot about different things

Variable # 141
Sas Name: ANXIOUS
Sas Label: Feeling nervous, anxious, on edge

Usage Notes: Not collected on all versions of Form 37.
Categories: Psychosocial/Behavioral

Values		N	%
0	Not at all	30,346	24.4%
1	Several days	21,905	17.6%
2	More than half the days	3,219	2.6%
.	Missing	68,846	55.4%
		124,316	

F37 Feeling restless so hard to sit still

During the last 4 weeks, how often have you been bothered by any of the following problems? Feeling restless so that it is hard to sit still

Variable # 142
Sas Name: RESTLSIT
Sas Label: Feeling restless so hard to sit still

Usage Notes: Not collected on all versions of Form 37.
Categories: Psychosocial/Behavioral

Values		N	%
0	Not at all	45,733	36.8%
1	Several days	8,878	7.1%
2	More than half the days	952	0.8%
.	Missing	68,753	55.3%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Getting tired very easily

During the last 4 weeks, how often have you been bothered by any of the following problems? Getting tired very easily

Variable # 143
Sas Name: TIREEASY
Sas Label: Getting tired very easily

Usage Notes: Not collected on all versions of Form 37.
Categories: Psychosocial/Behavioral

Values		N	%
0	Not at all	26,673	21.5%
1	Several days	22,412	18.0%
2	More than half the days	6,257	5.0%
.	Missing	68,974	55.5%
		124,316	

F37 Muscle tension aches or soreness

During the last 4 weeks, how often have you been bothered by any of the following problems? Muscle tension aches or soreness

Variable # 144
Sas Name: MSCLACHE
Sas Label: Muscle tension aches or soreness

Usage Notes: Not collected on all versions of Form 37.
Categories: Psychosocial/Behavioral

Values		N	%
0	Not at all	24,965	20.1%
1	Several days	24,405	19.6%
2	More than half the days	6,023	4.8%
.	Missing	68,923	55.4%
		124,316	

F37 Trouble falling asleep or staying asleep

During the last 4 weeks, how often have you been bothered by any of the following problems? Trouble falling asleep or staying asleep

Variable # 145
Sas Name: STAYSLP
Sas Label: Trouble falling asleep or staying asleep

Usage Notes: Not collected on all versions of Form 37.
Categories: Lifestyle: Sleep
Psychosocial/Behavioral

Values		N	%
0	Not at all	25,167	20.2%
1	Several days	22,442	18.1%
2	More than half the days	7,846	6.3%
.	Missing	68,861	55.4%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Trouble concentrating on things, reading

During the last 4 weeks, how often have you been bothered by any of the following problems? Trouble concentrating on things, such as reading a book or watching TV

Variable # 146 **Usage Notes:** Not collected on all versions of Form 37.

Sas Name: NOCONCEN

Sas Label: Trouble concentrating on things, reading **Categories:** Psychosocial/Behavioral

Values		N	%
0	Not at all	43,397	34.9%
1	Several days	10,608	8.5%
2	More than half the days	1,588	1.3%
.	Missing	68,723	55.3%
		124,316	

F37 Becoming easily annoyed or irritable

During the last 4 weeks, how often have you been bothered by any of the following problems? Becoming easily annoyed or irritable

Variable # 147 **Usage Notes:** Not collected on all versions of Form 37.

Sas Name: ANNOYED

Sas Label: Becoming easily annoyed or irritable **Categories:** Psychosocial/Behavioral

Values		N	%
0	Not at all	40,280	32.4%
1	Several days	14,013	11.3%
2	More than half the days	1,099	0.9%
.	Missing	68,924	55.4%
		124,316	

F37 Having an anxiety attack -- feel fear or panic

During the last 4 weeks, how often have you been bothered by any of the following problems? Having an anxiety attack - suddenly feeling fear or panic

Variable # 148 **Usage Notes:** Not collected on all versions of Form 37.

Sas Name: PANIC

Sas Label: Having an anxiety attack -- feel fear or panic **Categories:** Psychosocial/Behavioral

Values		N	%
0	Not at all	51,552	41.5%
1	Several days	3,610	2.9%
2	More than half the days	405	0.3%
.	Missing	68,749	55.3%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Did your spouse die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did your spouse or partner die?

Variable # 149
Sas Name: SPOUSDIE
Sas Label: Did your spouse die

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	119,002	95.7%
1	Yes and upset me: Not too much	335	0.3%
2	Yes and upset me: Moderately	978	0.8%
3	Yes and upset me: Very much	2,840	2.3%
.	Missing	1,161	0.9%
		124,316	

F37 Did your spouse have a serious illness

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did your spouse or partner have a serious illness?

Variable # 150
Sas Name: SPOUSILL
Sas Label: Did your spouse have a serious illness

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	46,336	37.3%
1	Yes and upset me: Not too much	2,049	1.6%
2	Yes and upset me: Moderately	3,978	3.2%
3	Yes and upset me: Very much	4,956	4.0%
.	Missing	66,997	53.9%
		124,316	

F37 Did a close friend die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Over the past year: Did a close friend or family member die or have a serious illness (other than your spouse or partner)?

Variable # 151
Sas Name: FRIENDIE
Sas Label: Did a close friend die

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	65,011	52.3%
1	Yes and upset me: Not too much	11,852	9.5%
2	Yes and upset me: Moderately	24,678	19.9%
3	Yes and upset me: Very much	21,551	17.3%
.	Missing	1,224	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Major problems with money

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have any major problems with money?

Variable # 152
Sas Name: MONPROB
Sas Label: Major problems with money

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	89,033	71.6%
1	Yes and upset me: Not too much	16,555	13.3%
2	Yes and upset me: Moderately	11,631	9.4%
3	Yes and upset me: Very much	6,091	4.9%
.	Missing	1,006	0.8%
		124,316	

F37 Have a divorce or break-up

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have a divorce or break-up with a spouse or partner?

Variable # 153
Sas Name: DIVORCE
Sas Label: Have a divorce or break-up

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	120,223	96.7%
1	Yes and upset me: Not too much	692	0.6%
2	Yes and upset me: Moderately	836	0.7%
3	Yes and upset me: Very much	1,354	1.1%
.	Missing	1,211	1.0%
		124,316	

F37 Close friend had a divorce

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a family member or close friend have a divorce or break-up?

Variable # 154
Sas Name: FRNDIV
Sas Label: Close friend had a divorce

Usage Notes: none
Categories: Psychosocial/Behavioral

Values		N	%
0	No	105,725	85.0%
1	Yes and upset me: Not too much	5,967	4.8%
2	Yes and upset me: Moderately	6,625	5.3%
3	Yes and upset me: Very much	4,944	4.0%
.	Missing	1,055	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Major conflict with children

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did you have a major conflict with children or grandchildren?

Variable # 155		Usage Notes: none	
Sas Name: CHILCON		Categories: Psychosocial/Behavioral	
Sas Label: Major conflict with children			
Values		N	%
0	No	99,877	80.3%
1	Yes and upset me: Not too much	9,549	7.7%
2	Yes and upset me: Moderately	7,895	6.4%
3	Yes and upset me: Very much	5,958	4.8%
.	Missing	1,037	0.8%
		124,316	

F37 Major accident or disaster

Below are some hard things that sometimes happen to people. Pls try to think back over the past yr to remember if any of these things happened. Over the past year: Did you have any major accidents,disasters, muggings, unwanted sexual experiences, robberies or similar events?

Variable # 156		Usage Notes: none	
Sas Name: MAJACC		Categories: Psychosocial/Behavioral	
Sas Label: Major accident or disaster			
Values		N	%
0	No	115,622	93.0%
1	Yes and upset me: Not too much	2,211	1.8%
2	Yes and upset me: Moderately	2,890	2.3%
3	Yes and upset me: Very much	2,713	2.2%
.	Missing	880	0.7%
		124,316	

F37 Close friend lost job

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a family member or close friend lose their job or retire?

Variable # 157		Usage Notes: none	
Sas Name: FRNJOB		Categories: Psychosocial/Behavioral	
Sas Label: Close friend lost job			
Values		N	%
0	No	96,118	77.3%
1	Yes and upset me: Not too much	13,188	10.6%
2	Yes and upset me: Moderately	8,537	6.9%
3	Yes and upset me: Very much	5,376	4.3%
.	Missing	1,097	0.9%
		124,316	



Form 37 - Thoughts and Feelings

Data File: f37_ct_pub File Date: 07/19/2007 Structure: Multiple rows per participant Population: CT participants

F37 You were physically abused

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Were you physically abused by being hit, slapped, pushed, shoved, punched or threatened with a weapon by a family member or close friend?

Variable # 158

Sas Name: PHYAB

Sas Label: You were physically abused

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	122,127	98.2%
1	Yes and upset me: Not too much	399	0.3%
2	Yes and upset me: Moderately	316	0.3%
3	Yes and upset me: Very much	544	0.4%
.	Missing	930	0.7%
		124,316	

F37 You were verbally abused

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: . Were you verbally abused by being made fun of, severely criticized, told you were a stupid or worthless person, or threatened with harm to yourself, your possessions, or your pets, by a family member or close friend?

Variable # 159

Sas Name: VERBAB

Sas Label: You were verbally abused

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	111,720	89.9%
1	Yes and upset me: Not too much	4,785	3.8%
2	Yes and upset me: Moderately	3,646	2.9%
3	Yes and upset me: Very much	3,101	2.5%
.	Missing	1,064	0.9%
		124,316	

F37 Did a pet die

Below are some hard things that sometimes happen to people. Please try to think back over the past year to remember if any of these things happened. Mark the answer that seems best. Over the past year: Did a pet die?

Variable # 160

Sas Name: PETDIE

Sas Label: Did a pet die

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	112,467	90.5%
1	Yes and upset me: Not too much	2,188	1.8%
2	Yes and upset me: Moderately	3,904	3.1%
3	Yes and upset me: Very much	4,572	3.7%
.	Missing	1,185	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 You felt depressed

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt depressed (blue or down)

Variable # 161
Sas Name: FELTDEP
Sas Label: You felt depressed

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Rarely or none of the time	89,950	72.4%
1	Some or a little of the time	23,996	19.3%
2	Occasionally or a moderate amount	6,990	5.6%
3	Most or all of the time	2,061	1.7%
.	Missing	1,319	1.1%
		124,316	

F37 Your sleep was restless

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. Your sleep was restless

Variable # 162
Sas Name: RESTSLP
Sas Label: Your sleep was restless

Usage Notes: none

Categories: Lifestyle: Sleep
Psychosocial/Behavioral

Values		N	%
0	Rarely or none of the time	54,085	43.5%
1	Some or a little of the time	43,407	34.9%
2	Occasionally or a moderate amount	16,565	13.3%
3	Most or all of the time	8,903	7.2%
.	Missing	1,356	1.1%
		124,316	

F37 You enjoyed life

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You enjoyed life

Variable # 163
Sas Name: ENJLIF
Sas Label: You enjoyed life

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Rarely or none of the time	8,343	6.7%
1	Some or a little of the time	8,195	6.6%
2	Occasionally or a moderate amount	16,368	13.2%
3	Most or all of the time	89,598	72.1%
.	Missing	1,812	1.5%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 You had crying spells

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You had crying spells

Variable # 164
Sas Name: CRYSPELL
Sas Label: You had crying spells

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Rarely or none of the time	111,874	90.0%
1	Some or a little of the time	7,894	6.3%
2	Occasionally or a moderate amount	2,406	1.9%
3	Most or all of the time	723	0.6%
.	Missing	1,419	1.1%
		124,316	

F37 You felt sad

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt sad

Variable # 165
Sas Name: FELTSAD
Sas Label: You felt sad

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Rarely or none of the time	78,403	63.1%
1	Some or a little of the time	35,053	28.2%
2	Occasionally or a moderate amount	7,177	5.8%
3	Most or all of the time	2,134	1.7%
.	Missing	1,549	1.2%
		124,316	

F37 You felt people dislikeded you

These are questions about your feelings during the past week. For each of the statements, please indicate the choice that tells how often you felt that way. You felt that people dislikeded you

Variable # 166
Sas Name: PEOPDIS
Sas Label: You felt people dislikeded you

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	Rarely or none of the time	111,176	89.4%
1	Some or a little of the time	9,562	7.7%
2	Occasionally or a moderate amount	1,603	1.3%
3	Most or all of the time	662	0.5%
.	Missing	1,313	1.1%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Felt sad for two weeks

In the past year, have you had two weeks or more during which you felt sad, blue, or depressed, or lost pleasure in things that you usually cared about or enjoyed?

Variable # 167

Sas Name: SAD2WK

Sas Label: Felt sad for two weeks

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	96,749	77.8%
1	Yes	26,079	21.0%
.	Missing	1,488	1.2%
		124,316	

F37 Felt sad two or more years

Have you had two years or more in your life when you felt depressed or sad on most days, even if you felt okay sometimes?

Variable # 168

Sas Name: SAD2YRS

Sas Label: Felt sad two or more years

Usage Notes: none

Categories: Psychosocial/Behavioral

Values		N	%
0	No	94,179	75.8%
1	Yes	28,356	22.8%
.	Missing	1,781	1.4%
		124,316	

F37 Felt sad much of past year

Have you felt depressed or sad much of the time in the past year?

Variable # 169

Sas Name: SADMUCH

Sas Label: Felt sad much of past year

Usage Notes: Sub-question of F37 V6 Q110 "Felt sad two or more years".
Not collected on all versions of Form 37.

Categories: Psychosocial/Behavioral

Values		N	%
0	No	20,186	16.2%
1	Yes	7,988	6.4%
.	Missing	96,142	77.3%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 take medication for sleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you take any kind of medication or alcohol at bedtime to help you sleep?

Variable # 170
Sas Name: MEDSLEEP
Sas Label: take medication for sleep

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	91,294	73.4%
2	Yes, less than once a week	11,622	9.3%
3	Yes 1 or 2 times a week	7,406	6.0%
4	Yes, 3 or 4 times a week	3,980	3.2%
5	Yes, 5 or more times a week	8,953	7.2%
.	Missing	1,061	0.9%
		124,316	

F37 fall asleep during quiet activity

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you fall asleep during quiet activities like reading, watching TV, or riding in a car?

Variable # 171
Sas Name: FALLSLP
Sas Label: fall asleep during quiet activ

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	30,630	24.6%
2	Yes, less than once a week	28,299	22.8%
3	Yes 1 or 2 times a week	32,574	26.2%
4	Yes, 3 or 4 times a week	19,545	15.7%
5	Yes, 5 or more times a week	12,201	9.8%
.	Missing	1,067	0.9%
		124,316	

F37 Did you nap during the day

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you nap during the day?

Variable # 172
Sas Name: NAP
Sas Label: Did you nap during the day

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	56,055	45.1%
2	Yes, less than once a week	27,186	21.9%
3	Yes 1 or 2 times a week	22,002	17.7%
4	Yes, 3 or 4 times a week	11,295	9.1%
5	Yes, 5 or more times a week	6,354	5.1%
.	Missing	1,424	1.1%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Did you have trouble sleeping

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you have trouble falling asleep?

Variable # 173
Sas Name: TRBSLEEP
Sas Label: Did you have trouble sleeping

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	68,134	54.8%
2	Yes, less than once a week	22,850	18.4%
3	Yes 1 or 2 times a week	17,449	14.0%
4	Yes, 3 or 4 times a week	8,545	6.9%
5	Yes, 5 or more times a week	5,995	4.8%
.	Missing	1,343	1.1%
		124,316	

F37 Did you wake up several times

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you wake up several times at night?

Variable # 174
Sas Name: WAKENGHT
Sas Label: Did you wake up several times

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	25,520	20.5%
2	Yes, less than once a week	20,335	16.4%
3	Yes 1 or 2 times a week	26,394	21.2%
4	Yes, 3 or 4 times a week	22,657	18.2%
5	Yes, 5 or more times a week	27,937	22.5%
.	Missing	1,473	1.2%
		124,316	

F37 wake up earlier than planned

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you wake up earlier than you planned

Variable # 175
Sas Name: UPEARLY
Sas Label: wake up earlier than planned

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	51,892	41.7%
2	Yes, less than once a week	25,920	20.9%
3	Yes 1 or 2 times a week	23,043	18.5%
4	Yes, 3 or 4 times a week	13,277	10.7%
5	Yes, 5 or more times a week	8,974	7.2%
.	Missing	1,210	1.0%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 trouble getting back to sleep

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you have trouble getting back to sleep after you woke up too early?

Variable # 176
Sas Name: BACKSLP
Sas Label: trouble getting back to sleep

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	59,526	47.9%
2	Yes, less than once a week	23,944	19.3%
3	Yes 1 or 2 times a week	20,682	16.6%
4	Yes, 3 or 4 times a week	11,196	9.0%
5	Yes, 5 or more times a week	7,529	6.1%
.	Missing	1,439	1.2%
		124,316	

F37 Did you snore

These next questions are about your sleep habits. Please mark one of the answers for each of the following questions. Pick the answer that best describes how often you experienced the situation in the past 4 weeks. Did you snore?

Variable # 177
Sas Name: SNORE
Sas Label: Did you snore

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	No, not in past 4 weeks	20,585	16.6%
2	Yes, less than once a week	5,512	4.4%
3	Yes 1 or 2 times a week	8,060	6.5%
4	Yes, 3 or 4 times a week	6,724	5.4%
5	Yes, 5 or more times a week	15,029	12.1%
9	Don't know	67,105	54.0%
.	Missing	1,301	1.0%
		124,316	

F37 Typical nights sleep

Overall, was your typical night's sleep during the past 4 weeks:

Variable # 178
Sas Name: QUALSLP
Sas Label: Typical night's sleep

Usage Notes: none
Categories: Lifestyle: Sleep

Values		N	%
1	Very restless	3,111	2.5%
2	Restless	18,064	14.5%
3	Average quality	53,141	42.7%
4	Sound or restful	34,597	27.8%
5	Very sound or restful	14,424	11.6%
.	Missing	979	0.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 How many hours of sleep

About how many hours of sleep did you get on a typical night during the past 4 weeks?

Variable # 179

Sas Name: HRSSLP

Sas Label: How many hours of sleep

Usage Notes: none

Categories: Lifestyle: Sleep

Values		N	%
1	5 or less hours	11,604	9.3%
2	6 hours	34,415	27.7%
3	7 hours	44,457	35.8%
4	8 hours	27,057	21.8%
5	9 hours	5,268	4.2%
6	10 or more hours	707	0.6%
.	Missing	808	0.6%
		124,316	

F37 Ever leaked urine

Have you ever leaked even a very small amount of urine involuntarily and you couldn't control it?

Variable # 180

Sas Name: INCONT

Sas Label: Ever leaked urine

Usage Notes: none

Categories: Medical History: Incontinence

Values		N	%
0	No	31,859	25.6%
1	Yes	91,667	73.7%
.	Missing	790	0.6%
		124,316	

F37 How often leaked urine

How often does this leaking urine occur? (Mark one oval.)

Variable # 181

Sas Name: FRQINCON

Sas Label: How often leaked urine

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

Values		N	%
1	Not once during past year	7,352	5.9%
2	Less than once a month	25,966	20.9%
3	More than once a month	22,755	18.3%
4	One or more times a week	24,263	19.5%
5	Daily	14,384	11.6%
.	Missing	29,596	23.8%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

F37 No longer leak urine

When do you usually leak urine? (Mark all that apply.) No longer leak urine

Variable # 182

Sas Name: NOINCON

Sas Label: No longer leak urine

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

Values		N	%
0	No	83,502	67.2%
1	Yes	5,474	4.4%
.	Missing	35,340	28.4%
		124,316	

F37 Leak urine when cough, laugh

When do you usually leak urine? (Mark all that apply.) When I cough, laugh, sneeze, lift, stand up. Or exercise

Variable # 183

Sas Name: CGHINCON

Sas Label: Leak urine when cough, laugh

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

Values		N	%
0	No	40,423	32.5%
1	Yes	48,553	39.1%
.	Missing	35,340	28.4%
		124,316	

F37 Leak when can't get to toilet

When do you usually leak urine? (Mark all that apply.) When I feel the need to urinate and can't get to a toilet fast enough

Variable # 184

Sas Name: TOINCON

Sas Label: Leak when can't get to toilet

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

Values		N	%
0	No	39,906	32.1%
1	Yes	49,070	39.5%
.	Missing	35,340	28.4%
		124,316	

F37 Leak when I am sleeping

When do you usually leak urine? (Mark all that apply.) When I sleep

Variable # 185

Sas Name: SLPINCON

Sas Label: Leak when I am sleeping

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

Values		N	%
0	No	85,916	69.1%
1	Yes	3,060	2.5%
.	Missing	35,340	28.4%
		124,316	



WHI Baseline and Follow-Up Data

Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

F37 When leak urine, Other

When do you usually leak urine? (Mark all that apply.) Other

Variable # 186

Sas Name: OTHINCON

Sas Label: When leak urine, Other

Values		N	%
0	No	86,150	69.3%
1	Yes	2,826	2.3%
.	Missing	35,340	28.4%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

F37 How much urine do you lose

How much urine do you usually lose when it leaks? (Mark one oval.)

Variable # 187

Sas Name: LEAKAMT

Sas Label: How much urine do you lose

Values		N	%
1	None	1,145	0.9%
2	Barely noticeable on underpants	66,695	53.6%
3	Soaked underpants	17,477	14.1%
4	Soaked through to outer clothing	2,916	2.3%
.	Missing	36,083	29.0%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

F37 Leak Protect/No protection

What protection do you wear in case you leak urine? (Mark all that apply.) None

Variable # 188

Sas Name: NOPRTCT

Sas Label: Leak Protect/No protection

Values		N	%
0	No	42,687	34.3%
1	Yes	45,755	36.8%
.	Missing	35,874	28.9%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

F37 Leak Protect/Mini-pad, tissue

What protection do you wear in case you leak urine? (Mark all that apply.) Mini-pad, tissue or towel

Variable # 189

Sas Name: MINIPAD

Sas Label: Leak Protect/Mini-pad, tissue

Values		N	%
0	No	57,718	46.4%
1	Yes	30,724	24.7%
.	Missing	35,874	28.9%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

F37 Leak Protection/Menstrual pad

What protection do you wear in case you leak urine? (Mark all that apply.) Menstrual pad or shield

Variable # 190

Sas Name: MENSPAD

Sas Label: Leak Protection/Menstrual pad

Values		N	%
0	No	78,587	63.2%
1	Yes	9,855	7.9%
.	Missing	35,874	28.9%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

F37 Leak protect/Diaper, Attends

What protection do you wear in case you leak urine? (Mark all that apply.) Diaper, towel, Attends, Depends

Variable # 191

Sas Name: DIAPER

Sas Label: Leak protect/Diaper, Attends

Values		N	%
0	No	84,474	68.0%
1	Yes	3,968	3.2%
.	Missing	35,874	28.9%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence

F37 Leaking urine protection other

What protection do you wear in case you leak urine? (Mark all that apply.) Other

Variable # 192

Sas Name: OTHPRTCT

Sas Label: Leaking urine protection, Other

Values		N	%
0	No	86,956	69.9%
1	Yes	1,486	1.2%
.	Missing	35,874	28.9%
		124,316	

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Categories: Medical History: Incontinence



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 leak limit activities

How often does the leakage of urine limit your daily activities? (Mark one oval.)

Variable # 193
Sas Name: INCONLMT
Sas Label: leak limit activities

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.
Categories: Medical History: Incontinence

Values		N	%
1	Never	66,242	53.3%
2	Almost never	15,702	12.6%
3	Sometimes	5,066	4.1%
4	Fairly often	1,088	0.9%
5	Very often	412	0.3%
.	Missing	35,806	28.8%
		124,316	

F37 How much does leakage bother you

How much does the leakage of urine bother or disturb you? (Mark one oval.)

Variable # 194
Sas Name: INCONDIS
Sas Label: How much does leakage bother

Usage Notes: Sub-question of F37 V6 Q121 "Ever leaked urine" (skip pattern rule not applied).
Sub-question of F37 V6 Q123 "No longer leak urine" (skip pattern rule not applied).
Not collected on all versions of Form 37.
Categories: Medical History: Incontinence

Values		N	%
1	Not at all disturbing	21,115	17.0%
2	A little disturbing	40,705	32.7%
3	Somewhat disturbing	16,409	13.2%
4	Very disturbing	7,527	6.1%
5	Extremely disturbing	2,688	2.2%
.	Missing	35,872	28.9%
		124,316	

F37 Currently married or intimate

Are you currently married or in an intimate relationship with at least one person?

Variable # 195
Sas Name: MARRIED
Sas Label: Currently married or intimate

Usage Notes: none
Categories: Lifestyle: Sexual Activity

Values		N	%
0	No	45,844	36.9%
1	Yes	76,889	61.8%
.	Missing	1,583	1.3%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Sexual activity in last year

Did you have any sexual activity with a partner in the last year?

Variable # 196

Sas Name: SEXACTIV

Sas Label: Sexual activity in last year

Usage Notes: none

Categories: Lifestyle: Sexual Activity

Values		N	%
0	No	62,212	50.0%
1	Yes	54,754	44.0%
9	Don't want to answer	5,720	4.6%
.	Missing	1,630	1.3%
		124,316	

F37 How satisfied sexually

How satisfied are you with your current sexual activities, either with a partner or alone? (Mark one oval.)

Variable # 197

Sas Name: SATSEX

Sas Label: How satisfied sexually

Usage Notes: none

Categories: Lifestyle: Sexual Activity

Values		N	%
1	Very unsatisfied	14,123	11.4%
2	A little unsatisfied	16,312	13.1%
3	Somewhat satisfied	27,057	21.8%
4	Very satisfied	38,829	31.2%
9	Don't want to answer	23,511	18.9%
.	Missing	4,484	3.6%
		124,316	

F37 Satisfied with sex frequency

Are you satisfied with the frequency of your sexual activity, or would you like to have sex more or less often? (Mark one oval.)

Variable # 198

Sas Name: SATFRQSX

Sas Label: Satisfied with sex frequency

Usage Notes: none

Categories: Lifestyle: Sexual Activity

Values		N	%
1	Less often	4,419	3.6%
2	Satisfied with current frequency	55,173	44.4%
3	More often	29,164	23.5%
9	Don't want to answer	30,108	24.2%
.	Missing	5,452	4.4%
		124,316	



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

F37 Sexual activity affects health

Are you worried that sexual activities will affect your health?

Variable # 199

Usage Notes: none

Sas Name: SEXWORRY

Categories: Lifestyle: Sexual Activity

Sas Label: Sexual activity affect healh

Values		N	%
1	Not at all worried	101,826	81.9%
2	A little worried	3,427	2.8%
3	Somewhat worried	1,863	1.5%
4	Very worried	951	0.8%
9	Don't want to answer	12,313	9.9%
.	Missing	3,936	3.2%
		124,316	

F37 Who you have had sex with

Regardless of whether you are currently sexually active, which response best describes who you have had sex with over your adult lifetime?

Variable # 200

Usage Notes: none

Sas Name: SEX

Categories: Lifestyle: Sexual Activity

Sas Label: Who you have had sex with

Values		N	%
1	Have never had sex	1,654	1.3%
2	Sex with a woman or with women	291	0.2%
3	Sex with a man or with men	112,899	90.8%
4	Sex with both men and women	1,196	1.0%
9	Prefer not to answer	4,947	4.0%
.	Missing	3,329	2.7%
		124,316	

F37 Who had sex with after 45

Which response best describes who you have had sex with after 45 years of age?

Variable # 201

Usage Notes: Sub-question of F37 V6 Q133 "Who you have had sex with" (skip pattern rule not applied).
Not collected on all versions of Form 37.

Sas Name: SEX45

Categories: Lifestyle: Sexual Activity

Sas Label: Description of adult sexual orientation

Values		N	%
0	Never had sex	1,092	0.9%
1	Sex with a women or with women	423	0.3%
2	Sex with a man or with men	18,859	15.2%
3	Sex with both men and women	248	0.2%
.	Missing	103,694	83.4%
		124,316	



WHI Baseline and Follow-Up Data

Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

Activities of daily living construct

Computed from Forms 36/37, questions 85-88. Source: WHI BAC. Four items describing basic activities (whether can eat, dress, get in and out of bed, and take a bath) each of which has three possible values (1=without help, 2=some help, 3=completely unable) are summed. A lower score indicates greater ability to cope with daily living activities. Missing if any of the four items are missing.

Variable # 202

Usage Notes: none

Sas Name: ACTDLY

Categories: Computed Variables

Sas Label: Activities of Daily Living Construct

N	Min	Max	Mean	Std Dev
114479	4	12	4.04868	.36337

Ambivalence over emotional expressiveness

Computed from Form 36/37, questions 30, 31 and 32. Reference: King L, Emmons R (1990). Average of three components coded from 1=strongly disagree to 5=strongly agree. The summary score ranges from 1 to 5 where a higher score indicates greater ambivalence in expressing negative emotions. Missing if any of the three components is missing.

Variable # 203

Usage Notes: none

Sas Name: AMBEMOT

Categories: Computed Variables

Sas Label: Ambivalence over Emotional Expressiveness

N	Min	Max	Mean	Std Dev
122788	1	5	2.95778	.70514

Care giving construct #1 (0,1 scoring)

Computed from Form 36/37, question 15. Source: Cardiovascular Health Study. CAREGIV1 is an indicator of whether the participant is currently helping a sick, limited or frail family member on a regular basis. (See also CAREGIV2.)

Variable # 204

Usage Notes: none

Sas Name: CAREGIV1

Categories: Computed Variables

Sas Label: Care Giving Construct #1 (0,1 scoring)

Values		N	%
0	No	74,330	59.8%
1	Yes	48,635	39.1%
.	Missing	1,351	1.1%
		124,316	

Care giving construct #2 (0-5+ scoring)

Computed from Form 36/37, question 15 and 15.1. Source: Cardiovascular Health Study. CAREGIV2 combines questions 15 and 15.1 to give the number of times per week a participant currently helps a friend or family member. (See also CAREGIV1.)

Variable # 205

Usage Notes: none

Sas Name: CAREGIV2

Categories: Computed Variables

Sas Label: Care Giving Construct #2 (0-5+ scoring)

Values		N	%
0	No	74,330	59.8%
1	Less than once a week	10,541	8.5%
2	1-2 times a week	18,011	14.5%
3	3-4 times a week	6,816	5.5%
4	5 or more times a week	13,086	10.5%
.	Missing	1,532	1.2%
		124,316	



WHI Baseline and Follow-Up Data

Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

Role limitations due to emotional problems

Computed from Form 36/37, questions 68, 69, and 70. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on role limitations due to emotional problems. EMOLIMIT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 206

Usage Notes: none

Sas Name: EMOLIMIT

Sas Label: Role Limitations Due to Emotional Problem

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
122713	0	100	82.41208	30.82762

Emotional well-being

Computed from Form 36/37, questions 77, 78, 79, 81, and 83. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on emotional well-being. EMOWELL ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 207

Usage Notes: none

Sas Name: EMOWELL

Sas Label: Emotional Well-being

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
122059	0	100	79.36824	14.39106

Energy/fatigue

Computed from Form 36/37, questions 76, 80, 82, and 84. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on energy/fatigue. ENERFAT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 208

Usage Notes: none

Sas Name: ENERFAT

Sas Label: Energy/Fatigue

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
122138	0	100	61.78839	19.63608

Hostility construct

Computed from Form 36/37, questions 33-45. Source: Cynicism Subscale of Cooke-Medley Questionnaire. Sum of thirteen True/False items resulting in a possible range from 0 to 13 where a higher score indicates greater hostility. Missing if any of the thirteen items are missing.

Variable # 209

Usage Notes: none

Sas Name: HOSTIL

Sas Label: Hostility Construct

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
118044	0	13	3.60076	2.8164

General health construct

Computed from Form 36/37, questions 49, 71, 72, 73, and 74. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on general health. GENHLTH ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 210

Usage Notes: none

Sas Name: GENHLTH

Sas Label: General Health Construct

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
122093	0	100	72.29456	17.90756



WHI Baseline and Follow-Up Data

Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

Life event construct #1 (0,1 scoring)

Computed from Form 36/37, questions 91, and 93-102. Source: WHI BAC; based on measures used in the Alameda County Study and BHAT. The eleven items are recoded, setting original responses from 1-3 equal to 1, and then summed. The construct has a range from 0 to 11 with a higher score indicating a greater number of life events. Missing if any of the eleven items are missing.

Variable # 211

Usage Notes: none

Sas Name: LFEVENT1

Categories: Computed Variables

Sas Label: Life Event Construct #1 (0,1 scoring)

N	Min	Max	Mean	Std Dev
120558	0	11	1.60648	1.40177

Life event construct #2 (0-3 scoring)

Computed from Form 36/37, question questions 91, and 93-102. Source: WHI BAC; based on measures used in the Alameda County Study and BHAT. This construct is a sum of the eleven items that are coded from 0-3 resulting in a range from 0 to 33 with a higher score indicating a greater number of life events. If any of the eleven items are missing, LFEVENT2 is set to missing.

Variable # 212

Usage Notes: none

Sas Name: LFEVENT2

Categories: Computed Variables

Sas Label: Life Event Construct #2 (0-3 scoring)

N	Min	Max	Mean	Std Dev
120558	0	31	3.13999	3.10259

Living alone

Computed from Form 36/37, questions 10.1-10.7. Indicator of whether the participant lives alone.

Variable # 213

Usage Notes: none

Sas Name: LIVALOR

Categories: Computed Variables

Sas Label: Living Alone

Values	N	%
0 No	89,754	72.2%
1 Yes	33,583	27.0%
. Missing	979	0.8%
	124,316	

Negative emotional expressiveness (NEE)

Computed from Form 36/37, questions 26-29. Reference: King L, Emmons R (1990). Average of four components coded from 1=strongly disagree to 5=strongly agree. The summary score ranges from 1 to 5 where a higher score indicates greater ambivalence in expressing negative emotions. Missing if any of the four components is missing.

Variable # 214

Usage Notes: none

Sas Name: NEGEMOT

Categories: Computed Variables

Sas Label: Negative Emotional Expressiveness (NEE)

N	Min	Max	Mean	Std Dev
122390	1	5	2.78355	.60707



Form 37 - Thoughts and Feelings

Data File: f37_ct_pub File Date: 07/19/2007 Structure: Multiple rows per participant Population: CT participants

Optimism construct

Computed from Form 36/37, questions 20-25. Source: Life Orientation Test-Revised (LOT-R). Sum of six components coded from 1=strongly disagree to 5=strongly agree. Questions 21, 23 and 24 are reverse coded before summing. The summary score ranges from 6 to 30 where a higher score indicates greater optimism. Missing if any of the six components is missing.

Variable # 215

Sas Name: OPTIMISM

Sas Label: Optimism Construct

Usage Notes: none

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
120449	6	30	23.34137	3.37301

Pain construct

Computed from Form 36/37, questions 62 and 63. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on pain. PAIN ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 216

Sas Name: PAIN

Sas Label: Pain Construct

Usage Notes: none

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
123435	0	100	71.53056	24.48684

Role limitations due to physical health

Computed from Form 36/37, questions 64-67. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on role limitations due to physical health. PHYLIMIT ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 217

Sas Name: PHYLIMIT

Sas Label: Role Limitations Due to Physical Health

Usage Notes: none

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
122566	0	100	68.90226	37.76667

Physical functioning construct

Computed from Form 36/37, questions 51-60. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on physical functioning. PHYSFUN ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 218

Sas Name: PHYSFUN

Sas Label: Physical Functioning Construct

Usage Notes: none

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
120587	0	100	76.82636	22.58673



WHI Baseline and Follow-Up Data

Form 37 - Thoughts and Feelings

Data File: f37_ct_pub

File Date: 07/19/2007

Structure: Multiple rows per participant

Population: CT participants

Shortened CES-D/DIS screening instrument

Computed from Form 36/37, questions 103-108, 109, and 110. Source: Center for Epidemiological Studies; depression scale (CES-D, short form). PSHTDEP ranges from 0 to 1 with a higher score indicating a greater likelihood of depression. Cutoff values of .06 and .009 have been used to indicate depression.

Variable # 219

Usage Notes: none

Sas Name: PSHTDEP

Categories: Computed Variables

Sas Label: Shortened CES-D/DIS Screening Instrument

N	Min	Max	Mean	Std Dev
119731	.00033	.95895	.03753	.12248

Sleep disturbance construct

Computed from Form 36/37, questions 114-117 and 119. Sum of five components. Questions 106-109 range from 1-5 and question 111 is recoded and reverse coded resulting in a range from 0-4 before summing. The summary score ranges from 0 to 20 where a higher score indicates greater sleep disturbance. Missing if any of the five components is missing.

Variable # 220

Usage Notes: none

Sas Name: SLPDSTRB

Categories: Computed Variables

Sas Label: Sleep Disturbance Construct

N	Min	Max	Mean	Std Dev
120876	0	20	6.85983	4.56588

Social functioning

Computed from Form 36/37, questions 61 and 75. Source: Rand 36-Item Health Survey (SF-36). Quality of life subscale on social functioning. SOCFUNC ranges from 0 to 100 with a higher score indicating a more favorable health state.

Variable # 221

Usage Notes: none

Sas Name: SOCFUNC

Categories: Computed Variables

Sas Label: Social Functioning

N	Min	Max	Mean	Std Dev
122948	0	100	88.09009	19.62034

Social strain construct

Computed from Form 36/37, questions 16-19. Source: Antonucci TA, Kahn RC, Akiyama H (1989). Scale measuring negative aspects of social relations. Sum of four components coded from 1=none to 5=all. The summary score ranges from 4 to 20 where a higher score indicates more social strain. Missing if any of the four components is missing.

Variable # 222

Usage Notes: none

Sas Name: SOCSTRN

Categories: Computed Variables

Sas Label: Social Strain Construct

N	Min	Max	Mean	Std Dev
120804	4	20	6.50795	2.51944



WHI Baseline and Follow-Up Data
Form 37 - Thoughts and Feelings

Data File: f37_ct_pub **File Date:** 07/19/2007 **Structure:** Multiple rows per participant **Population:** CT participants

Social support construct

Computed from Form 36/37, questions 1-9. Source: Medical Outcomes Study. Sum of nine components coded from 1=none of the time to 5=all of the time. The summary score ranges from 9 to 45 where a higher score indicates more social support. Missing if any of the nine components is missing.

Variable # 223

Sas Name: SOCSUPP

Sas Label: Social Support Construct

Usage Notes: none

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
119679	9	45	36.4213	7.5926

Symptom construct

Computed from Form 36/37, questions 89.1-89.34. Source: PEPI, national and other surveys. Average of 34 items measuring occurrence and severity of symptoms. The summary score ranges from 0 to 3 where a higher score indicates more numerous and/or more severe symptoms. Missing if any of the 34 items is missing.

Variable # 224

Sas Name: SYMPTOM

Sas Label: Symptom Construct

Usage Notes: none

Categories: Computed Variables

N	Min	Max	Mean	Std Dev
111132	0	2.76471	.45225	.27503
